





THIS DRAWING MAY ONLY BE USED IN THE COURSE OF AND FOR THE PURPOSE OF CREATING SYDNEY WATER ASSETS. USE THIS DRAWING WITH CARE. THE USER IS RESPONSIBLE FOR THE CORRECT APPLICATION OF THIS DRAWING. THE USE OF DTC DRAWINGS IS SUBJECT TO TERMS AND CONDITIONS AS PUBLISHED BY SYDNEY WATER.

- NOTES:
- 1. CONCRETE GRADE F'C = 32 MPa.
 - 2. COVER TO REINFORCEMENT = 50mm



STEELWORK MEMBER SCHEDULE		
MARK	SIZE	REMARKS
PEDESTAL		
PE1	450Lx350Wx300H	REFER SECTION
COLUMN		
C1	RHS 200x150x8	350 GRADE, REFER SECTION (FULLY WELDED FRAME)
RAFTER		
R1	RHS 200x150x8	350 GRADE, REFER SECTION (FULLY WELDED FRAME)
PURLIN		
P1	C10012	ONE ROW OF PROPRIETARY BRIDGING
BRACING		
BR1	16 Ø GALV. ROD	8 GALV. CLEAT PLATE AT ENDS WITH TURN BUCKLE

A	ORIGINAL ISSUE (PREVIOUSLY DRAWING DTC/6031)	NS	25/06/21
LETTER	DETAILS OF ISSUE / AMENDMENT	APP'D	DATE