

Request for preliminary advice on sewer mining proposal

Customer information

Applicant details

Company name:	
Contact person (full name):	
Street address:	
Postal address:	
Business phone number:	
Email address:	

Business details (where recycled water will be used)

Business trading name:	
Australian company number (ACN):	
Principal business activity:	
Activity or process where recycled water will be used:	
Street address:	
Postal address:	
Business phone number:	

Business contacts

Contact person:	
Position in company:	
Business phone number:	
Email address:	

Connection information

Wastewater connection

Does the property have MORE THAN ONE connection to Sydney Water's sewer main?	Yes	No
---	-----	----

If yes, how many connections are there?

Water meters

Is a water meter fitted to the property's water service?	Yes	No
--	-----	----

If yes, how many meters are there?

Does the water service and meter serve this business only?	Yes	No
--	-----	----

Does the water service and meter serve another business/residence?	Yes	No
--	-----	----

Please list the serial numbers of the meters fitted to the property's water service:

Alternate water use

Will alternate water sources be used on the property (eg dam, rainwater tank, bore etc)?	Yes	No
--	-----	----

If yes, please provide details:

Wastewater extraction requirements

Estimate the AVERAGE DAILY extraction volume required from the sewer main:	litres
--	--------

Estimate the MAXIMUM DAILY extraction volume required from the sewer main:	litres
--	--------

Estimate the MAXIMUM INSTANTANEOUS rate of extraction required from the sewer main:	litres p/sec
---	--------------

Additional information

Mandatory - Site plan

Have you attached a site plan?	Yes	No
--------------------------------	-----	----

It is mandatory that you provide a site plan with this request. The site plan must show the preferred locations of the extraction point and discharge point (if you will be discharging wastewater back to Sydney Water's wastewater system).

Optional – End use water quality and treatment options

Please advise if you have attached:

End use water quality requirements?	Yes	No
-------------------------------------	-----	----

Treatment technology options?	Yes	No
-------------------------------	-----	----

Terms and conditions

I acknowledge that the owner of the property (where sewer mining will take place), has been advised of this proposal and that I have agreement to seek information about sewer mining on the property.

Please tick to acknowledge that you have read and understand the requirements of this request for preliminary advice.

Submitting your application

To submit this request for preliminary advice, complete the form and email it to us at **businesscustomers@sydneywater.com.au** using the email function on the form.

You can also print and fax the form to **1300 364 403**.

If you need help completing this form, please call us on **1300 985 227**.